

EVOTEC



PreCoat
Dosing unit



INNOVATIVE
EXTRACTION
TECHNOLOGY

PreCoat dosing unit

EVOTEC



- ★ Freely definable dosing cycles
- ★ Assigning „sacrificial layer“ to the filters
- ★ Extension of the filter service life
- ★ Solid inerting
- ★ Incl. fill level control
- ★ Compressed air operated
- ★ Incl. 20 kg container with EVOMIN-PreCoat powder

Recommended for the following EVOTEC models:

EP 2701/02/03

EP 2815

EP 2822

FEX 6000

EP 2830

EP 2855

EP 2875

EP 28110

PreCoat dosing unit for filter aids to protect the filters when vacuuming sticky adhesive dusts or as a permanent admixture in the case of complicated dusts.

Doses a filter aid into the extraction unit in fixed cycles. The filters are covered with a „**sacrificial layer**“ and thus protected from e.g. sticky adhesions which otherwise can not be cleaned off the filter.

The filter service life is extended and the filtration result improved.

Solid inerting: Alternatively, also suitable as an admixture to reduce the reactivity of complicated dusts.

Including fill level control of the PreCoat container

Sensor monitors the fill level of the PreCoat container. The evaluation is done via PLC. Processing of the signals according to customer agreement.

Dimensions L x W x H: 363 x 363 x 900 mm

Compressed air operated dosing unit including 20 kg container with ready-to-use EVOMIN PreCoat powder.



Image shows application with EP 2815

<p>PreCoat dosing unit</p>		<p>Item No.: 054-7502</p>
<p>PreCoat EVOMIN Replacement container</p> <p><i>Ready-to-use filled replacement container for PreCoat dispenser. Content: 20 kg</i></p>		<p>Item No.: 054-7501</p>



EVO-PRODUCTS Blankenburg GmbH – Dieselstraße 3 – 53424 Remagen

Tel.: +49 (0)2642 9373-0 Fax: +49 (0)2642 9373-14

www.evo-products.de – info@evo-products.de