

EVOTEC



Pump vacuum EP 1024



INNOVATIVE
EXTRACTION
TECHNOLOGY



EP Wet- pump vacuum cleaner 1024 – 230 Volt

EVOTEC



- ★ Parts in contact with the product made of V2A stainless steel (1.4301)
- ★ High vacuum power
- ★ Tilting device for easy emptying
- ★ EP 1024 Pump:
Build-in 900W-pump
- ★ Drain hose

EP 1024 Pump

Versions:



EP Wet- pump vacuum cleaner 1024 – 230 Volt



EP 1024 Powerful pump vacuum cleaner

With fix installed stainless steel immersion pump (900W) for **continued absorbing of liquids and simultaneously pumping further** in one operation.

Including PRCDs-safety switch

Pump output: 280 l/min – not suitable for dry matter.

Optional: Equipped with Stortz-C-coupling and wastewater hose 15m.

Sturdy, smooth-running chassis for **high mobility**. Compact, modular structure with high-quality stainless steel dirt container (**V2A**).

For suction of large-area liquid distribution at low level when conventional pump cannot capture it. Example of use: Fire brigade vacuum cleaner in case of flooding.

Length connection cable: 8 m



Model		EP 1024 Pump
Voltage	Volt	230
Engine power	Watt	2.400
Pump capacity	Watt	900
Max. air volume	m ³ /h	330
Max. negative pressure	mbar	210
Dirt container	ltr.	120
Protection class		IP 33
Noise level	dB(A)	76
Vacuum connection	Ø mm	80
Dimensions LxWxH	cm	95 x 67 x 132
Weight	kg	70
Item-Number		151-1030

Scope of delivery includes for each: 3,5 m hose Ø 50 mm and scoring nozzle



Accessories

Accessories and options for pump vacuums	
	<p>Waste water hose 15 m with Stortz/C coupling for pump vacuum cleaner Applicable to 10 bar inner diameter 52 mm</p> <p style="text-align: right;">732-1016</p>
	<p>Stortz/C coupling 1 1/2" IG Connection piece for container from pump suction to be able to connect waste water hose. Has to be ordered with machine.</p> <p style="text-align: right;">732-1022</p>
	<p>PRCDS personal protection switch for 230 V devices Recommended by the professional association</p> <p style="text-align: right;">143-1010</p>
	<p>Chip basket 60 litres for chip-emulsion vacuum cleaner floor height adjustable from 190 - 375 mm Instead of separator plate (optional) with machine order 053-3090 To buy later as spare part 054-30075</p>
	<p>PUR-vacuum hose With sleeve for Camlock coupling 3,5 m, Ø 50 mm = 052-0278 5,0 m, Ø 50 mm = 052-0279 Matching Camlock hose sleeve for hose Ø 50 mm 052-0261</p> <p>Drain hose Ø 25 mm, linear metre = 054-30033</p>

Machine cleaning Set

optimal for cleaning
of production machines, completely antistatic

Consisting of mass vacuum nozzle,
inclined pipe rubber nozzle, pointed rubber nozzle

Ø 50 mm **052-1071**



Industrial floor cleaning set

for the cleaning of all floors,
completely antistatic

Consisting of multi-part hand tube,
metal roller nozzle with brush strips and
replacement rubber strips

Ø 50 mm, working width 370 mm **052-1041**

Ø 50 mm, working width 450 mm **052-1051**

Ø 50 mm, working width 500 mm **052-1061**



You Tube



On our YouTube channel you will find helpful application
videos for industrial floor cleaning.

Notizen

EVOTEC

Notizen

EVOTEC



MADE IN
GERMANY

EVO-PRODUCTS Blankenburg GmbH – Dieselstraße 3 – 53424 Remagen

Tel.: +49 (0)2642 9373-0 Fax: +49 (0)2642 9373-14

www.evo-products.de – info@evo-products.de