EVOTEC



Wet and dry Vacuum EP 1036



INNOVATIVE EXTRACTION TECHNOLOGY





EP Wet- and dry vacuum cleaner EP 1036 – 230 Volt





- ★ Parts in contact with the product made of V2A stainless steel (1.4301)
- ★ High vacuum power
- ★ Tilting device for easy emptying
- ★ Electric level monitoring
- ★ Three cartridge filters with automatic cleaning
- ★ Drain hose

EP 1036

Versions:



EP Wet- and dry vacuum cleaner EP 1036 – 230 Volt





EP 1036 Powerful wet and dry vacuum cleaner

Wet vacuum: Innovative electronic fluid level control with engine shutdown when maximum level is reached.

Dry vacuum: Cyclone separator for better preseparation of fine dusts and coarse material.

Three cartridge filters with automatic cleaning.

Fast coupling with locking mechanism and rotating device for a secure connection of the hose.

Tilting chassis for easy disposal of the vacuumed material.

Length of connection cable: 8 m Included in delivery: 1.0 m discharge hose and vacuum hose, scoring nozzle.

Length connection cable: 8 m

Model		EP 1036
Voltage	Volt	230
Engine power	Watt	3.600
Max. air volume	m³/h	490
Max. negative pressure	mbar	210
Filter area	m²	1,5
Dirt container	ltr.	120
Protection class		IP 33
Noise level	dB(A)	78
Vacuum connection	Ø mm	80
Dimensions LxWxH	cm	95 x 67 x 132
Weight	kg	68
Dust class M	Item-No.	151-1042

Scope of delivery includes for each: 3,5 m hose Ø 50 mm and scoring nozzle







Accessories

EVOTEC

Accessories for wet-vacuums



Pocket filter for EP 1036

for wet and dry vacuum cleaner EP 1036, (for version to 2017)

1.0 m², 9 pockets, Ø 500 mm, replacement filter for repurchase

Filter = 054-10144 Ring = 054-10136



Filter cartridges for EP 1036

for EP 1036 version from 2017 Filter cartridge 0,5m2, dust class M, you need 3 pieces

per piece 054-20124



Chip basket 60 litres

for chip-emulsion vacuum cleaner floor height adjustable from 190 - 375 mm

Instead of separator plate (optional) with machine order 053-3090

To buy later

054-30075 as spare part



PUR-vacuum hose

With sleeve for Camlock coupling $3.5 \text{ m}, \varnothing 50 \text{ mm} =$ 052-0278

 $5.0 \text{ m}, \emptyset 50 \text{ mm} =$ 052-0279

Matching Camlock hose sleeve for hose Ø 50 mm 052-0261

Drain hose

Ø 25 mm, linear metre = **054-30033**

Machine cleaning Set

optimal for cleaning of production machines, completely antistatic

Consisting of mass vacuum nozzle, inclined pipe rubber nozzle, pointed rubber nozzle

Ø 50 mm 052-1071







Industrial floor cleaning set

for the cleaning of all floors, completely antistatic

Consisting of multi-part hand tube, metal roller nozzle with brush strips and replacement rubber strips

Ø 50 mm, working width 370 mm **052-1041** Ø 50 mm, working width 450 mm 052-1051 Ø 50 mm, working width 500 mm 052-1061



On our YoutTube channel you will find helpful application videos for industrial floor cleaning.





Notizen



Notizen





EVO-PRODUCTS Blankenburg GmbH – Dieselstraße 3 – 53424 Remagen

Tel.: +49 (0)2642 9373-0 Fax: +49 (0)2642 9373-14 www.evo-products.de – info@evo-products.de